New safety information - see reverse

RadianB



Effective relief from

aches and pains

Multi-Action Painkiller

Active ingredients w/v: Levomenthol 1.4%, Racemic Camphor 0.6%, Ammonium salicylate 1.0%, Salicylic acid (as methyl and ethyl esters) 0.54%. Also contains: industrial methylated spirit (contains ethanol), water, glycerol, citronella oil (contains geraniol, citronellol, eugenol, benzyl benzoate, citral) ammonia.

92767372011





Radian®B Muscle Lotion provides symptomatic relief from muscular and rheumatic aches and pains, including fibrositis, sciatica, lumbago, sprained ligaments, bruises, muscle stiffness, strains, tennis elbów, golf shoulder.

How to use: Adults, the elderly and children over 12.

Sprinkle lotion onto the palm of hand or apply to cotton wool and smooth into affected area. Apply again after 10-1 finituotes, if needed. Repeat if necessary, up to 3 times a day, reducing to morning and evenings when acute symptoms subside. When convenient use after a warm bath. Wash hands thoroughly after use. Do not cover the skin immediately after a solication.

Check before you use. Do not use:

- on children under 12.

on broken or irritated skin, face, eves and sensitive areas.

- if you are allergic to salicylates (e.g. aspirin), other non-steroidal

anti-inflammatory medicines, or any of the ingredients of this medicine.

if you are taking warfarin without first consulting your doctor.

If you accidentally apply this medicine to a large area of skin and you feel unwell, or if you swallow some, see a dottor straight away. Take the pack with you. Do not smoke or go near naked flames – risk of severe burns. Fabric (clothing, bedding, dressings etc) that has been in contact with this product burns more easily and is a serious fire hazard. Washing clothing and bedding may reduce product build-up but not to tally remove it.

Pregnancy and breast-feeding

Do not use this medicine if you are pregnant or breast-feeding.

Possible Side effects

May include contact dermatitis, eczema or allergic reactions such as skin rash, flushing or headache. If excessive irritation or any other unusual effect occurs discontinue use and speak to your doctor. If symptoms persist consult your doctor.

Reporting of side effects

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this label. You can also report side effects directly via the Yellow Card Scheme at www.nhra.gov.uk/eplowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine. Warning: Flammable product, do not use on or near painted or polished surfaces:

near open flammes or hot surfaces and in confined spaces. Avoid inhalation. This medicine contains fragrance with Geraniol, Citronellol, Benzyl Benzoate, Eugenol and Citral, which may cause allergic reactions. This medicine contains 76% v/v ethanol (contained in industrial methylated spirit) per application. This may cause burning

sensation on damaged skin.

Keep out of sight and reach of children.

If swallowed seek immediate medical attention.

Store below 25°C. Do not use after expiry date (EXP), on label.

FOR EXTERNAL USE ONLY PL 00240/0359

Licence Holder and Manufacturer:
Thornton & Poss Ltd. Huddersfield HD7 5

Thornton & Ross Ltd., Huddersfield, HD7 5QH, UK. MA055/01202 Text revised: October 2020 smoke or go near naked flames;

bedding with this product dried on them can catch fire

Fire hazard



Radian® B Muscle Lotion: For the symptomatic relief of muscular and rheumatic aches and pains.

Please read this leaflet before using your medicine. Directions: Adults (over 12). Smooth or massage onto affected area and repeat after 10-15 minutes, if needed. Repeat up to 3 times a day, reducing to morning and evenings, as symptoms improve. Wash hands thoroughly after use. If symptoms persist consult a doctor.

Do not use: on children under 12, on sensitive areas. if you are taking warfarin without first consulting your doctor, if you are pregnant or breast-feeding.

Warning: Flammable. Do not use on or near painted or polished surfaces. Do not use near open flame, Avoid inhalation.

Keep out of sight and reach of children. Active ingredients w/v: Levomenthol 1.4%, Racemic Camphor 0.6%, Ammonium salicylate 1.0%, Salicylic acid (as methyl and ethyl esters) 0.54%. Also contains: industrial methylated spirit (contains ethanol), water, glycerol, citronella oil (contains geraniol, citronellol, eugenol, benzyl benzoate, citral),

ammonia.

FOR EXTERNAL USE ONLY Licence Holder and Manufacturer: Thornton & Ross Ltd., Huddersfield, HD7 50H, UK.

92767042007 PL 00240/0359

Fire hazard. Do not smoke or go near naked flames: clothing & bedding with this product dried on them can

catch fire easily.



Pregnancy and breast-feeding Do not use this medicine if you are pregnant or breast-feeding.

Possible Side effects May include contact dermatitis, eczema or allergic reactions such as skin rash, flushing or headache. If excessive irritation or any other unu sual effect occurs discontinue use and speak to your doctor. If symptoms persist consult your doctor. Reporting of side effects

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this label. You can also report side effects directly via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine. Warning: Flammable product, do not use on or near painted or polished surfaces; ne ar open flames or hot surfaces and in confined spaces. Avoid inhalation, This medicine contains fra grance with Geraniol, Citronelld, Benzyl Benzoate, Eugen of and Citral, which may cause allergic reactions. This medicine contains 76% v/v ethanol (contained in industrial methylated spirit) per application. This may cause burning sensation on damaged skin. Keep out of sight and reach of children.
If swalowed seek immediate medical attention. Store below 25℃, Do not use after expiry date (EXP), onpage 1.

Text revised: November 2020

Page 3/3

92767042007

Radian® B Muscle Lotion 125ml, contains painkilling ingredients, see page 1. It provides symptomatic relief from muscular and rheumatic aches and pains, including fibrositis, sciatica, lumbago, sprained ligaments, bruises, muscle stiffness, strains, tennis elbow, golf shoulder. How to use: Adults, the elderly and children over 12. Sprinkle lotion onto the palm of hand or apply to cotton wool and smooth into affected area. Apply again after 10-15 minutes. if needed. Repeat if necessary, up to 3 times a day, reducing to morning and evenings when acute symptoms subside. When convenient use after a warm bath. Wash hands thoroughly after use. Do not cover the skin immediately after application.

Check before you use. Do not use:

on children under 12.

- on broken or irritated skin, face, eyes and sensitive areas. if you are allergic to salicylates (é.g. aspirin), other non-steroidal anti-inflammatory medicines, or any of the ingredients of this medicine.
 - if you are taking warfarin without first consulting your doctor. If you accidentally apply this medicine to a large area of skin

and you feel unwell, or if you swallow some, see a doctor straight away. Take the pack with you. Do not smoke or go near naked flames - risk of severe burns. Fabric (clothing, bedding, dressings etc) that has been in contact

with this product burns more easily and is a serious fire hazard.

Washing clothing and bedding may reduce product build-up but not totally remove it.

92767042007