



PACKAGE LEAFLET: INFORMATION FOR THE USER

IBS Cramps Relief 10mg Tablets
(Hyoscine Butylbromide)

Read all of this leaflet carefully before you start taking this medicine because it contains important information for you.

Always take this medicine exactly as described in this leaflet or as your doctor or pharmacist has told you.

- Keep this leaflet. You may need to read it again.
- Ask your pharmacist if you need more information or advice.
- If you get any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet. See section 4.
- You must talk to a doctor if you do not feel better or if you feel worse after two weeks.

What is in this leaflet

1. What Boots IBS Cramps Relief Tablets are and what they are used for
2. What you need to know before you take this medicine
3. How to take this medicine
4. Possible side effects
5. How to store this medicine
6. Contents of the pack and other information

1. What Boots IBS Cramps Relief Tablets are and what they are used for

The name of your medicine is Boots IBS Cramps Relief 10mg Tablets (called Boots IBS Cramps Relief Tablets in the rest of this leaflet). Boots IBS Cramps Relief Tablets contain a medicine called hyoscine butylbromide. This medicine is to relieve the abdominal cramps which cause pain and discomfort associated with Irritable Bowel Syndrome. It belongs to a group of medicines called antispasmodics. It works by relaxing the cramping muscles of your bowel.

What is Irritable Bowel Syndrome (IBS)?

Irritable Bowel Syndrome is often just called 'IBS'. Although the precise cause is unknown, the muscles of the bowel appear to be very sensitive to things like:

- stress, eating and drinking habits
- food allergies or intolerances
- stimulants such as coffee
- hormonal factors.

Such things can trigger painful abdominal cramps or spasms if you have a sensitive bowel. You may also feel bloated, with excess wind and abdominal discomfort. Sometimes IBS can include diarrhoea or constipation.

2. What you need to know before you take this medicine

- ✗Do not take this medicine if you:
- are allergic to hyoscine butylbromide or any of the other ingredients of this medicine (listed in section 6)
 - are intolerant to or cannot digest some sugars (as the tablet coating contains a small amount of lactose)
 - have glaucoma (an eye problem)
 - have something called 'myasthenia gravis' (a very rare muscle weakness problem)
 - have a suspected or confirmed blockage of the bowel
 - have a condition where the bowel is blocked and does not work properly (paralytic or obstructive ileus). Symptoms include severe abdominal pain with lack of stools and/or nausea/vomiting
 - have a very enlarged bowel (megacolon)
 - are pregnant, likely to get pregnant, or are breast-feeding.

Do not take this medicine if any of the above applies to you. If you are not sure, talk to your doctor or pharmacist before taking this medicine.

Warnings and precautions

Talk to your doctor or pharmacist before taking this medicine if any of the following apply to you, even if you know you have IBS, in case your abdominal pain may be something else:

- you are 40 years or over and it is some time since your last attack of IBS or the symptoms are different this time
- you have recently passed blood from the bowel
- you have severe constipation
- you are feeling sick or vomiting
- you have lost your appetite or lost weight
- you have difficulty or pain passing water (urine)
- you have a fever
- you have recently travelled abroad (in case you have picked up a stomach bug)
- you have a very fast heart rate or other heart problems
- you have been treated by a doctor for a severe sweating problem.

If you are not sure if any of the above applies to you, talk to your doctor or pharmacist before taking this medicine.

Check with your doctor or pharmacist straight away if you have unexplained abdominal pain which persists or worsens or occurs with:

- fever
- feeling sick
- being sick
- changes in your bowel movements
- abdominal tenderness
- low blood pressure
- feeling faint or
- blood in your bowel movements.

Other medicines and Boots IBS Cramps Relief Tablets

Tell your doctor or pharmacist if you are taking, have recently taken or might take any other medicines, including medicines obtained without a prescription and herbal medicines.

This is because Boots IBS Cramps Relief Tablets can affect the way some other medicines work, and some other medicines can affect the way Boots IBS Cramps Relief Tablets work.

In particular, tell your doctor or pharmacist if you are taking any of the following medicines:

- Antihistamines - used to treat hay fever and other allergies
- Tetracyclic or tricyclic medicines - used to treat depression and some types of pain
- Antipsychotic medicines such as butyrophenones or phenothiazines – used to treat severe mental illness such as schizophrenia
- Dopamine antagonists such as metoclopramide for feeling sick
- Beta 2 adrenergic medicines such as salbutamol inhalers for asthma
- Quinidine or disopyramide - used to control your heart beat
- Amantadine - used for Parkinson's disease and flu
- Anticholinergic medicines such as tiotropium, ipratropium or atropine-like medicines - usually inhaled to treat breathing problems.

If you are not sure if any of the above apply to you, talk to your doctor or pharmacist before taking this medicine.

Pregnancy, breast-feeding and fertility

Do not take this medicine if you are pregnant or breast-feeding, think you may be pregnant or are planning to have a baby.

Driving and using machines

Some people may have temporary blurring of vision while taking this medicine. If this happens to you, wait until your vision returns to normal before driving or using any tools or machines.

Boots IBS Cramps Relief Tablets contain lactose

If you have been told by your doctor that you have an intolerance to some sugars, contact your doctor before taking this medicinal product.



3. How to take this medicine

Always take your medicine exactly as your doctor or pharmacist has told you. You should check with your doctor or pharmacist if you are not sure. Boots IBS Cramps Relief Tablets should not be taken continuously for more than two weeks. Talk to your pharmacist or doctor if you develop new symptoms or if your symptoms get worse or have not improved over two weeks.

Taking this medicine:

- swallow the tablet whole with water
- do not break, crush or chew the tablets.

How much to take

Adults and children 12 years or over:

- start by taking 1 tablet three times a day
- you can increase your dose to a maximum of 2 tablets four times a day, if needed.

This medicine is not recommended for children under 12 years.

If you take more Boots IBS Cramps Relief Tablets than you should

If you take more tablets than you should, talk to a doctor or go to a hospital straight away. Take the medicine pack with you even if there are no tablets left.

If you forget to take Boots IBS Cramps Relief Tablets

If you forget to take a dose, take it as soon as you remember. However, if it is almost time for the next dose, skip the missed dose. Do not take a double dose to make up for a forgotten dose.

If you have any further questions on the use of this medicine, ask your doctor or pharmacist.

4. Possible side effects

Like all medicines, this medicine can cause side effects, although not everybody gets them.

The following side effects may happen with this medicine:

Mild side effects that do not normally require medical treatment:

Uncommon: (may affect up to 1 in 100 people)

- dry mouth
- abnormal sweating or reduced sweating. If any of these side effects get troublesome or seem serious to you please tell your pharmacist or doctor.
- If you get any of the side effects described below stop taking this medicine and tell your doctor straight away. You may need urgent medical treatment:
 - Uncommon: (may affect up to 1 in 100 people)
 - skin reactions such as urticaria and pruritus (itching)
 - tachycardia (increased heart rate).
- Rare: (may affect up to 1 in 1,000 people)
- problems emptying the bladder.

Isolated events: (some side effects are so rare that it is not known how many people may be affected)

- anaphylactic reaction and shock - this is a severe type of allergic reaction. An itchy rash may spread all over the body, as well as swelling. You may have difficulty in breathing and may lose consciousness
- dyspnoea (difficult or laboured breathing)
- allergic reactions (hypersensitivity) such as skin rash and erythema (patchy red skin)
- if you experience a painful red eye with loss of vision after taking this medicine, stop taking it and tell your doctor straight away. You may have an eye problem called glaucoma and need urgent medical attention.

Reporting of side effects

If you get any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine.

5. How to store this medicine

Keep this medicine out of the sight and reach of children.

Do not use this medicine after the expiry date which is stated on the blister and carton after 'EXP'. The expiry date refers to the last day of that month.

This medicinal product does not require any special storage conditions.

Do not throw away any medicines via wastewater or household waste. Ask your pharmacist how to throw away medicines you no longer use. These measures will help protect the environment.

6. Contents of the pack and other information

What Boots IBS Cramps Relief Tablets contain

- the active substance is hyoscine butylbromide. Each film-coated tablet contains 10mg of hyoscine butylbromide.
- the other ingredients are:

Tablet core: lactose monohydrate; cellulose, microcrystalline; povidone and magnesium stearate.

Tablet coating: polyvinyl alcohol (E1203), titanium dioxide (E171), talc (E553b), polyethylene glycol (E1521) and lecithin (E422).

What this medicine looks like and contents of the pack

Boots IBS Cramps Relief 10mg Tablets are white to off-white round, biconvex, film-coated tablets with '10' debossed on one side and plain on the other side.

Pack size of 8, 10, 12, 20, 24 and 40 tablets are available.

Not all pack sizes may be marketed.

Marketing Authorisation Holder

Morningside Healthcare Ltd.,
Unit C, Harcourt Way,
Leicester, LE19 1WP, UK.

Manufacturer

Morningside Pharmaceuticals
Ltd, 5 Pavilion Way,
Loughborough,
LE11 5GW, UK

Morningside Pharmaceuticals Ltd.&
Aspire Pharma Ltd.
Second Floor, Boss Court, 7 Barton
Close, Grove Park, Leicester,
LE19 1SJ, UK

Aspire Pharma Ltd.
Unit 4, Rotherbrook Court,
Bedford Road, Petersfield,
GU32 3QG, UK

Distributed by

The Boots Company PLC,
Nottingham, NG2 3AA.

This leaflet was last revised in March 2025.

If you would like any further information about this medicine, please contact The Boots Company PLC, Nottingham, NG2 3AA.

Other formats

To request a copy of this leaflet in Braille, large print or audio please call free of charge:

0800 198 5000 (UK only)

Please be ready to give the following information:

Product name: Boots IBS Cramps Relief 10mg Tablets

Reference number: PL 20117/0348

This is a service provided by the Royal National Institute of Blind People.