

Benylin®

DRY & TICKLY COUGH BLACKCURRANT SYRUP

Glycerol & Sucrose

- ✓ Relieves irritated sore throats
- ✓ Soothing syrup

Relieves dry, tickly coughs

⚠ If you forget to take a dose

If you forget a dose, take the next dose when needed.
Do not take a double dose.

4. Possible side-effects

This medicine is unlikely to cause side-effects unless you are allergic to the ingredients. If you experience any of the following, stop taking the medicine and seek immediate medical help. See a doctor at once:

- Unexplained wheezing or difficulty in breathing, swelling of the face, lips, tongue, neck or throat (severe allergic reactions).

If you experience any other side-effects not listed here or if you are not sure about anything, talk to your doctor or pharmacist.

Reporting of side-effects

If you get any side-effects, talk to your doctor, pharmacist or nurse. This includes any possible side-effects not listed on this carton. You can also report side-effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store.

By reporting side-effects you can help provide more information on the safety of this medicine.

5. Storing this medicine

Do not use this medicine after the expiry date shown on the bottle. Keep the bottle tightly closed. There are no special storage instructions for this medicine. Keep out of the sight and reach of children. Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment. Retain carton for full instructions.

6. Further information: What's in this medicine

The active ingredients in each 5 ml of medicine are: Glycerol 0.75 ml and Sucrose 1.7 g.

Other ingredients are: Citric acid monohydrate, sodium benzoate (E211), anthocyanin, blackcurrant flavour and juice (containing propylene glycol (E1520) and benzyl alcohol), liquid glucose and purified water.

What the medicine looks like: Benylin Dry & Tickly Cough Blackcurrant Syrup is a clear, purple liquid available in 125 ml bottles.

If you need more advice ask your pharmacist.

Marketing Authorisation Holder:

McNeil Products Ltd, High Wycombe, HP12 4EG, UK.

Manufacturer: McNeil Iberica S.L.U., 28805 Madrid, Spain.

PL 15513/0392 UK Only This carton was revised in May 2024.

Recycling information:

Carton: recycle.

Bottle: rinse, cap on, recycle.

Spoon: do not recycle.

Benylin is a registered trade mark.

McNeil Products Limited 2024 ©

Contains spoon

McNeil
Products Ltd.

125 ml e

Benylin®

DRY & TICKLY COUGH BLACKCURRANT SYRUP

Glycerol & Sucrose

- ✓ Relieves irritated sore throats
- ✓ Soothing syrup

1. What this medicine is for

Benylin Dry & Tickly Cough Blackcurrant Syrup is a soothing cough syrup which relieves irritating tickly, dry coughs and sore throats.

2. Before taking this medicine

This product is suitable for most people, but a few people should not use it. If you are in any doubt contact your doctor or pharmacist.

⚠ Do not use this medicine...

- If you are allergic to any of the ingredients.
- Do not give this medicine to your child if s/he is under 1 year old. If any of these bullet points apply, get advice from a doctor or pharmacist without using this medicine.

⚠ Talk to your doctor or pharmacist

- If you have been diagnosed with an intolerance to some sugars. If this applies to you now or in the past, talk to a doctor or pharmacist.

⚠ Some of the ingredients can cause problems

- This product contains 2.15 g glucose and 1.7 g sucrose in each 5 ml, which may be harmful to the teeth. If you have been told by your doctor that you have an intolerance to some sugars, contact your doctor before using this medicine. This should be taken into account in patients with diabetes.
- Carbohydrate content of this medicine is 3.4 g per 5 ml.
- This medicine contains 3.53mg propylene glycol (E1520) in each 5ml dose, which is equivalent to 0.71mg/ml.
- This medicine contains 10 mg sodium benzoate (E211) in each 5ml which is equivalent to 2 mg/ml.
- This medicine contains less than 1 mmol sodium (23 mg) per 5 ml, that is to say essentially 'sodium-free'.
- This medicine contains 0.000053 mg benzyl alcohol in each 5ml which is equivalent to 0.000011 mg/ml. Benzyl alcohol may cause allergic reactions. Ask your doctor or pharmacist for advice if you are pregnant or breast-feeding or if you have a liver or kidney disease. This is because large amounts of benzyl alcohol can build-up in your body and may cause side effects (called "metabolic acidosis"). Do not use for more than a week in young children (less than 3 years old), unless advised by your doctor or pharmacist. This is due to an increased risk due to accumulation in young children.

3. How to use this medicine

Check the information below to see how much medicine to take.

- For oral use only. Do not take more medicine than the carton (and/or label) tells you to.
- Do not overfill the spoon. There is a double-ended spoon in the pack. Check the cap seal is not broken before first use. If it is, do not take this medicine.

① Children under 1 year

Do not give to children under 1 year old.

① Adults and Children 1 year and over

AGE	DOSE
Adults including the elderly and children 5 years and over	Two 5 ml spoonfuls.
Children 1-5 years	One 5 ml spoonful.

- The dose may be repeated 3 or 4 times within 24 hours, if needed.
- Please tell your doctor or pharmacist if you do not feel better or start to feel worse.

- You can take this medicine if you are pregnant or breastfeeding.

⚠ If anyone has taken too much

If anyone has taken too much of this product, contact a doctor or your nearest Accident & Emergency department (Casualty), taking this pack with you.

Benylin®

**DRY &
TICKLY
COUGH
BLACKCURRANT SYRUP**

Glycerol &
Sucrose

DOSE: For oral use only.

Use the measuring spoon provided.

**Adults including the elderly and
children 5 years and over:**

Two 5 ml spoonfuls.

Children 1-5 years: One 5 ml spoonful.

Not suitable for children under 1 year.

The dose may be repeated 3 or 4 times in 24 hours, if needed. Please tell your doctor or pharmacist if you do not feel better or start to feel worse.

Read and retain carton for full instructions. Keep the bottle tightly closed.

CONTENTS

Each 5 ml of oral liquid contains:

Glycerol 0.75 ml, Sucrose 1.7g.

Other ingredients include:

Liquid glucose 2.15 g, E1520, E211,

benzyl alcohol.

Carbohydrate content 3.4 g per 5 ml.

There are no special storage instructions.

Keep all medicines out of the sight and reach of children.

Marketing Authorisation holder:

McNeil Products Ltd, High Wycombe, HP12 4EG, UK.

Manufacturer: McNeil Iberica S.L.U.,

28805 Madrid, Spain.

PL 15513/0392

XXXXXX

125 ml e



LOT:

EXP: