How to take Gabapentin Tablets
 Always take this medicine exactly as your doctor or pharmacist has told you. Check with your doctor or pharmacist if you are not sure. Do not take more medicine than prescribed. doctor will determine what dose is appropriate for you.

Fallays, the recommended does in Adhinal and selections. In a contrast, North-Sect. will mustly halid any our does that the most offer to be self-questly be between NH up and 90 mg end shy and the properties of the self-questly be a self-questly be a self-questly on the S00 mg end shy and you do self-questly on the first in 3 separate does, i.e. our S00 mg end shy and you do self-questly on the first in 3 separate does, i.e. our S00 mg end shy and you do self-questly on the first self-questly of S00 mg end shy and you do self-questly on the first self-questly S00 mg end shy and self-questly on the self-questly of S00 mg end self-questly on the self-questly on S00 mg end self-questly on the self-questly on S00 mg end self-questly on

Forphera Newspattle Path, the recommended does is

All the second of the path of the path

MFG, LOCATION: PONDY

Method of administration
Gabaporinis in for ord use. Always availow the tablets with plenty of water.
The tablet can the dwind aim equal halves.
The tablet can the dwind aim equal halves.

Hyou take more Cabaporini than you should
Higher than reconstanted does may result in instructors in side effects including loss
of consciousness, dizzness, doublet vision, tharved speech, drown new and durathors,
more cabaporini than you destry prescribed. The always with the way to be not
taken, logspeer with the constance and the label so that the hospital can easily rell what
I was forced to take Collmental.

takes, tegether with the constance and the label on that the loopstal on enaily till what medical eyes have been designed as the constance of the constance of

Parameter.

A Possible side effects

Stop using playering tablets and seek medical attention immediately if you notice
up of the following comptones:

realthin non-elevanced, target-like or circular guadese on the natural, often with central
side makes on the proceedal price and fieldile swipstoms (Storens-Adenocawards), makes on the proceedal price and fieldile swipstoms (Storens-Adenocawards), tonce quadernal necessions).

and of single playering the proceeding of the p

them.

Contact your doctor immediately if you experience any of the following symptoms after taking the steep of the stee

contrate you denote immediately if you experience any of the following symptoms after a contract the properties as they on the services as severe that reactions that recipier that the contract that the contract

frequent infections
 These symptems may be the first signs of a serious reaction. A dector should examin
you to decide if you should continue taking Gabapentin.
 If you are on haemodishysis, tell your doctor if you develop muscle pain and/or
washess.
 Other side offects include
 Very common (may affect more than 1 in 10 people)

After side official scalable

(**recommon (may after the part in 10 people)
varial missions
variations. Red of coordination
feeding trust, Press, Order of coordination
feeding trust, Press, Order of coordination
feeding trust, Press, Order of trust, Order of trust,
feeding trust, Press, Order of trust,
order of trust

man unjuncture mass through glocose levels (most oftant observed in patients with diabetes) (mary affect up to 1 in 1500 people). (mary affect up to 1 in 1500 people) (mary affect up to 1 in 1500

scute belong fulton, incontinuous menusarelement insurancelement incontinuous menusarelement insurancelement i

Becoming depotention of application (varya depotencies)
After disputing a short to support memorities of the phaspeorine, some of so know that the stage that the stage of the stage and the stage of the s

The state of the s

protect the environment.

C. Cuterfort of the park and other information
What Calesport in Balest continue
What Calesport in Balest continue
What Calesport in Balest continue
The chair imposferior in Calesport in Balest in Balest continue other 600 mg or
Boll mag Baleston.
The chair imposferior in Calesport in Baleston in Baleston
The chair imposferior in Calesport in Baleston in Baleston
The Caleston in Baleston in Calesport in Baleston
The Caleston in Baleston in Baleston
The Caleston in Baleston
The Caleston
The Cale

Failt coaling. (Note) what T36-1811 (common of, in the CLNNS), hyteroproperty of Marc Coloquent Dathbook solls. Band contented of the pack.
The 600 mg builds as white to off with codomed. Blin content, differed dauged, it pack like or one shall be suffered to the content of t

Packed in a white copease.

our confidence of the below polypropylene (PF) crosses way wang.

white polypropylene (PF), child resistant (CR) closure (fix up to 100's pack sizes),
whate polypropylene (PF), child resistant (CR) closure (fix up to 100's pack sizes),
whate polypropylene (PF), child resistant (CR) consequence (fix 200's and 500's
pack sizes).

Bottles are supplied in packs of 20, 30, 45, 50, 60, 84, 90, 100, 200, 500 tablets. Packed in blisters of PVC/PVDC in 10, 20, 30, 50, 60, 90, 100, 200 and 500's pack

Not all pack sizes may be markeded.

Marketing Authorisation Holder and Manufacturer
Stricks Plannas UK Ltd.
Unit 4, The Metro Centre,
WD18 SSS,
United Stricks Control
WD18 SSS,
United Singeon

130 x 680 mm

Minimum Fonts size: 9 points

Contigration (III) (III)