

Verso	70 mm	10 mm	10 mm	
74.25 mm	<p>Each patch will last for up to 3 days. If you are travelling for more than three days, take the patch off after 3 days and apply a fresh patch behind the other ear. You can swim, bathe or shower with little risk of the patch coming off, provided that you have applied the patch properly. However, it is best not to stay in the water too long. If the patch accidentally comes off, dispose of it carefully and put on a new patch.</p> <p>Use in the elderly If you are elderly, you may be more prone to suffer from the side-effects of hyoscine (see Section 4: Possible Side Effects).</p> <p>Use in children Can be used in children aged 10 years or over (see dosage for adults). The use of these patches is not recommended in younger children. See your doctor or pharmacist for alternative medicines.</p> <p>If you use more Scopoderm 1.5mg Patches than you should If you accidentally use too many patches, you may feel restless, excited or confused. In cases of higher overdose, you may become disorientated, hallucinate or have fits. In severe cases of overdose, coma and breathing difficulties may occur. Remove the patch /patches immediately, and tell your doctor or go to your nearest casualty department immediately. Take any remaining patches with you.</p> <p>If you forget to use Scopoderm 1.5mg Patches If you forget to put a patch on, apply it as soon as you remember. Do not apply two patches at once to make up for the one that you forgot.</p> <p>If you stop using Scopoderm 1.5mg Patches In rare cases – usually after several days of use – symptoms such as dizziness, nausea (feeling sick), vomiting (being sick), headache and disturbances of balance have been reported after discontinuation of the treatment. These symptoms are more likely to occur if you have been wearing a patch for several days. If you are affected in this way, avoid any activities requiring concentration, e.g. driving, or operating machinery, until your symptoms have worn off and consult a doctor. If you have any further questions on the use of this medicine, ask your doctor or pharmacist.</p>			297 mm
	<p>4. Possible side effects Like all medicines, Scopoderm 1.5mg Patches can cause side effects, although not everybody gets them.</p> <p>STOP using Scopoderm 1.5mg and seek medical help immediately if you or your child has any of the following which may be signs of an allergic reaction:</p> <ul style="list-style-type: none"> • Difficulty in breathing or swallowing • Swelling of the face, lips, tongue or throat • Severe itching of the skin, with a red rash or raised bumps <p>Some side effects could be serious which are very rare (may affect 1 in every 10,000 people)</p> <ul style="list-style-type: none"> • Changes in vision with increased pressure in the eye (possible signs of glaucoma). If you experience this, tell your doctor straight away. <p>Some side effects are very common (may affect more than 1 in 10 people)</p> <ul style="list-style-type: none"> • Dryness of the mouth. • Drowsiness, dizziness • Frequently blurring of (near) vision and enlargement of the pupils (sometimes in one eye only), • Loss of ability to focus on close or far objects (visual accommodation) <p>Some side effects are common (may affect between 1 and 10 in every 100 people)</p> <ul style="list-style-type: none"> • Irritation of the eyelids • Skin irritation <p>Some side effects are rare (may affect between 1 and 10 in every 1,000 people)</p> <ul style="list-style-type: none"> • Difficulty in passing water (urinating) • Impairment of memory or concentration, restlessness, disorientation, confusion, or hallucinations. <p>Some side effects are very rare (may affect less than 1 in every 10,000 people)</p> <ul style="list-style-type: none"> • Skin rash 			
	<p>Not known (frequency cannot be estimated from the available data)</p> <ul style="list-style-type: none"> • Reactions at the application site such as itching, redness and burning. <p>Reporting of side effects If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine.</p> <p>5. How to store Scopoderm 1.5mg Patches</p> <ul style="list-style-type: none"> • Keep this medicine out of the sight and reach of children. • Do not store above 25°C. • Do not freeze the patches. • Do not remove from the protective pouch until you need it. • Do not use Scopoderm 1.5mg Patches after the 'Use by' date which is stated on the carton and pouch. The 'Use by' date refers to the last day of that month. <p>The transdermal patch should be folded in half (sticky side inwards) before being discarded. Do not throw away any medicines via wastewater or household waste. Ask your pharmacist how to throw away medicines you no longer use. These measures will help to protect the environment.</p> <p>6. Contents of the pack and other information</p> <p>What Scopoderm 1.5mg Patches contain The active ingredient in each patch is hyoscine 1.5mg (the average amount of hyoscine absorbed from each patch in 72 hours is 1mg). The other ingredients are light mineral oil, polyisobutylene and polypropylene.</p> <p>What Scopoderm 1.5mg Patches look like and contents of the pack Scopoderm 1.5mg Patches are flat, round patches approximately 1.8 cm in diameter. One side of the patch is tan; the other side is silver and is placed on an oversized clear hexagonal film. Each patch is individually packed into a foil pouch. Each cardboard carton contains two patches.</p>			
	<p>Marketing Authorisation Holder GlaxoSmithKline Consumer Healthcare (UK) Trading Limited, Brentford, TW8 9GS, U.K.</p> <p>Manufacturer GlaxoSmithKline Consumer Healthcare (UK) Trading Limited, Brentford, TW8 9GS, U.K. For any information about this medicinal product, please contact the Marketing Authorisation Holder.</p> <p>This leaflet was last revised in October 2018.</p>			
10 mm	GR 320320 – XXXXXX			
	210 mm			