

Package leaflet: Information for the user

Nalcrom® 100mg Capsules
Sodium cromoglicate

Is this leaflet hard to see or read? Phone 0800 035 2525 for help

Read all of this leaflet carefully before you start using this medicine because it contains important information for you.

- Keep this leaflet. You may need to read it again.
- If you have any further questions, ask your doctor or pharmacist.
- This medicine has been prescribed for you only. Do not pass it on to others. It may harm them, even if their signs of illness are the same as yours.
- If you get any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet. See section 4.

What is in this leaflet

1. What Nalcrom Capsules are and what they are used for
2. What you need to know before you take Nalcrom Capsules
3. How to take Nalcrom Capsules
4. Possible side effects
5. How to store Nalcrom Capsules
6. Contents of the pack and other information.

1. What Nalcrom Capsules are and what they are used for

Nalcrom 100mg Capsules (called Nalcrom Capsules in this leaflet) contains a medicine called sodium cromoglicate. This belongs to a group of medicines called anti-allergics.

It works by stopping the release of the natural substances in your body that can cause an allergic reaction. It also lowers your response when you are exposed to substances to which you are allergic.

What Nalcrom Capsules are used for:

- Nalcrom Capsules are used to treat allergic reactions to certain foods
- It is only used if you have had a test to prove that you are allergic to these foods
- As part of your treatment, your doctor should advise you to avoid eating certain foods which may cause an allergic reaction

2. What you need to know before you take Nalcrom Capsules

Do not take Nalcrom if:

- X You are allergic (hypersensitive) to sodium cromoglicate or any of the other ingredients of Nalcrom Capsules (listed in section 6)
Signs of an allergic reaction include: a rash, swallowing or breathing problems, swelling of your lips, face, throat or tongue.

Do not use this medicine if the above applies to you. If you are not sure, talk to your doctor or pharmacist before taking Nalcrom Capsules.

Pregnancy and breast-feeding

Talk to your doctor before taking this medicine if you are pregnant, might become pregnant or think you may be pregnant.

If you are breast-feeding or planning to breast-feed, talk to your doctor or pharmacist before taking this medicine.

3. How to take Nalcrom Capsules

Not. 61(3) Update to Medical Information telephone number

Always take Nalcrom Capsules exactly as your doctor has told you. You should check with your doctor or pharmacist if you are not sure.

Taking this medicine

- Take this medicine by mouth.
- Take this medicine before a meal.
- If signs of allergy do not improve within 2-3 weeks, your doctor may double how much you take. Your dose should not be larger than 40mg per kilogram of your body weight per day.
- If you feel the effect of your medicine is too weak or too strong, do not change the dose yourself, but ask your doctor.

How much to take

Adults (including the Elderly)

- Two capsules, four times a day, before meals.
- When your symptoms improve, your doctor may lower your dose.

Children (aged between 2 and 14 years)

- One capsule, four times a day, before meals.
- When your child's symptoms improve, your doctor may lower the dose.

If you take more Nalcrom than you should

Talk to your doctor or go to a hospital straight away. Remember to take any medicine that is left with you so the doctor knows what you have taken.

If you forget to take Nalcrom Capsules

If you forget a dose, take it as soon as you remember it. However, if it is nearly time for the next dose, skip the missed dose. **Do not** take a double dose to make up for a forgotten dose.

If you stop taking Nalcrom Capsules

Keep taking Nalcrom Capsules until your doctor tells you to stop. Do not stop taking Nalcrom Capsules just because you feel better. If you stop, your food allergies may come back or get worse.

If you have any further questions on the use of this product, ask your doctor or pharmacist.

4. Possible side effects

Like all medicines, Nalcrom Capsules can cause side effects, although not everybody gets them.

Stop taking Nalcrom Capsules and see a doctor or go to a hospital straight away if:

- You have an **allergic reaction** to Nalcrom Capsules. The signs may include: a rash, swallowing or breathing problems, swelling of your lips, face, throat or tongue

Talk to your doctor or pharmacist if any of the side effects gets serious or lasts longer than a few days, or if you notice any side effects not listed in this leaflet:

- Skin rashes
- Pain in your joints
- Feeling sick (nausea)

Reporting of side effects

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store.

By reporting side effects you can help provide more information on the safety of this medicine.

Not. 61(3) Update to Medical Information telephone number

5. How to store Nalcrom Capsules

Keep this medicine out of the sight and reach of children.

Do not use Nalcrom Capsules after the expiry date which is stated on the label and carton after EXP. The expiry date refers to the last day of that month.

Store below 25°C.

Store in a dry place. Keep the bottle tightly closed in order to protect from moisture.

Do not throw away any medicines via wastewater or household waste. Ask your pharmacist how to throw away medicines you no longer use. These measures will help protect the environment.

6. Contents of the pack and other information

What Nalcrom Capsules contain

- The active substance is sodium cromoglicate. Each capsule contains 100 mg of sodium cromoglicate.
- The other ingredients are purified water, gelatine and Black ink (containing Water, Ethyl alcohol, Iso-propyl alcohol, Propylene alcohol, N-butyl alcohol, Shellac, Ammonium hydroxide, Potassium hydroxide and Iron oxide black (E172)).

What Nalcrom Capsules look like and contents of the pack

- Nalcrom Capsules are hard gelatine capsules with a clear, colourless cap and body printed in black 'SODIUM CROMOGLICATE 100 mg' and containing a white powder.
- Nalcrom Capsules are available in a plastic bottle with a screw cap containing 100 capsules.

Marketing Authorisation Holder and Manufacturer

Marketing Authorisation Holder

Sanofi, 410 Thames Valley Park Drive, Reading, Berkshire, RG6 1PT, UK

Tel: 0800 035 2525

email: uk-medicalinformation@sanofi.com

Manufacturer

ITC FARMA S.R.L. Via Pontina Km 29, Pomezia, Rome, Italy.

This leaflet does not contain all the information about your medicine. If you have any questions or are not sure about anything, ask your doctor or pharmacist.

This leaflet was last revised in September 2020.

© Sanofi, 2001 – 2020