

Setlers Antacid Chewable Tablets Spearmint Flavour

(calcium carbonate)

Important information about Setlers Antacid Chewable Tablets

- This medicine relieves symptoms of indigestion and heartburn.
- It can be taken by adults and children over 6 years.

Do not take....

- At exactly the same time as other medicines. See section 2.

Talk to your doctor....

- If your symptoms keep occurring or last a long time.

Now read the rest of the leaflet before you use this medicine. It includes other information which might be especially important for you.

- Keep this leaflet. You may need to read it again.
- Ask your pharmacist if you need any more information or advice.
- If any side effects gets serious, or if you notice any side effects not listed in this leaflet, please tell your doctor or pharmacist.

1. What the medicine is for

Setlers Antacid Chewable Tablets contain calcium carbonate to neutralize excess stomach acid. They are used to relieve the symptoms of acid indigestion, heartburn, wind and nausea (feeling sick).

2. Before you use this medicine



Do not use the medicine if you have....

- An **allergy** to any of the ingredients listed in section 6.
- **Kidney** or **liver** problems.
- **Kidney stones**.
- **High calcium** levels in your **blood** or **urine**.
- A **low phosphate diet**.
- Or are taking **cardiac glycosides** (e.g. digoxin).



Talk to your doctor or pharmacist if you have....

- **Ever** had **kidney stones**.
- **Sarcoidosis** (inflammation that produces lumps of cells in various organs in the body).
- Any **other disease** where your **blood calcium levels** are already **high**.



Talk to your doctor or pharmacist if you are taking....

- Digoxin for heart failure.
- Tetracycline or Ciprofloxacin for infections.
- Bisphosphonates for osteoporosis.
- Medicines to remove fluids from the body (e.g. water tablets).
- Eltrombopag to increase blood platelet levels.
- Fluoride to prevent tooth decay.
- Zinc or vitamin D (dietary supplements).
- Oral iron for anaemia.
- Levothyroxine for underactive thyroid gland.
- Medicines with an enteric coating (prevents disintegration in the stomach).

Taking any other medicines – these tablets may affect some other medicines you may be taking, and they should not be taken at the same time as or within 3 hours of taking other medicines.



Pregnant or breastfeeding....

Ask your doctor or pharmacist if you are pregnant, might be pregnant or are breastfeeding.

Continued..

Turn over

93049572312 GB

Important information about some of the ingredients

- Contains sucrose and glucose, if you have an intolerance to some sugars, contact your doctor before taking this medicinal product.
- Spearmint Flavour (containing Sulphur dioxide E220) may rarely cause severe hypersensitivity reactions and bronchospasm.

3. How to use this medicine

Suck or chew the tablets.

 **Adults, the elderly and children over 12**
Take 1 or 2 tablets when required (maximum 8 per day).

Children 6 - 12 yrs: Take 1 tablet when required (maximum 4 per day)

 **Children under 6 years**

Do not give to children under 6 unless your doctor tells you to.

 **If you take too many**

If you accidentally take too many tablets, see a doctor straight away. Take the pack with you to show which medicine you have swallowed.

4. Possible side effects

Like all medicines, Setlers Antacid Chewable Tablets can have side effects, although these don't affect everyone.

- May cause stomach problems including wind and constipation.
- May cause a return of acid indigestion after initial relief of symptoms.
- May rarely cause severe hypersensitivity reactions and bronchospasm.

If you notice these or any other side effect not included above, stop use and tell your doctor or pharmacist. They will tell you what to do.

Reporting side effects

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at:

www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store.

By reporting side effects you can help provide more information on the safety of this medicine.

5. Storing this medicine

- Keep it out of the sight and reach of children.
- Store in the original pack.
- Do not use after the expiry date shown on the carton.
The expiry date refers to the last day of that month.

- Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of any unused medicine. These measures will help to protect the environment.

6. Further information

What is in this medicine

The active ingredient per tablet is: calcium carbonate 500mg.

The other ingredients are: sucrose, glucose, maize starch, maltodextrin, talc, magnesium stearate, spearmint flavour (containing Sulphur dioxide E220), adipic acid.

What the medicine looks like

Setlers Antacid Chewable Tablets are round white tablets with bevelled edges and "Setlers" engraved on both faces.

They are supplied in packs of 24 and 36 tablets. Not all pack sizes may be marketed.

Marketing authorisation holder & Manufacturer

Thornton & Ross Ltd, Huddersfield, HD7 5QH, UK.

UK ONLY	
	BOX Recycle
	BLISTER Do Not Recycle

This leaflet was revised in April 2024