

A. LABELLING/LEAFLET

PARTICULARS TO APPEAR ON THE OUTER PACKAGING AND THE IMMEDIATE PACKAGING

{CARTON AND LABEL/LEAFLET}

1. NAME OF THE MEDICINAL PRODUCT

Original Andrews Salts

2. STATEMENT OF ACTIVE SUBSTANCE(S)

Magnesium Sulphate, Sodium Hydrogen Carbonate, Citric Acid

3. LIST OF EXCIPIENTS

Further information

Effervescent powder containing the active ingredients Sodium Hydrogen Carbonate 22.6% w/w, Citric Acid 19.5% w/w and Magnesium Sulphate 17.4% w/w. Also contains 2.1g of sucrose per 5 ml spoonful.

4. PHARMACEUTICAL FORM AND CONTENTS

150 g or 250 g

5. METHOD AND ROUTE(S) OF ADMINISTRATION

How to take Original Andrews Salts

How to open:

Lift end of lid. Check inner seal is intact before first use. Break inner seal carefully.

How to take:

For oral administration only.

Adults and children aged 12 years and over:

For upset stomach, indigestion and over-indulgence, measure one level spoonful (5 ml spoonful) into a glass of water and drink. Take as needed, up to a maximum of 4 times a day.

For constipation, measure two level spoonful (5 ml spoonful) into a glass of water and drink. Take before breakfast or at bedtime.

Do not exceed the stated dose.

Do not take for more than 14 days, unless advised by your doctor.

In the event of overdose seek medical advice.

6. SPECIAL WARNING THAT THE MEDICINAL PRODUCT MUST BE STORED OUT OF THE SIGHT AND REACH OF CHILDREN

Keep out of the sight and reach of children.

7. OTHER SPECIAL WARNING(S), IF NECESSARY

Not suitable for children under 12 years of age.

Possible side effects

Like all medicines, Eno can have side effects, but not everybody gets them. Stomach irritations causing wind or bloating can occur. In the event of overdose, seek medical advice.

Reporting of side effects

If you get any serious effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme Website: www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine.

8. EXPIRY DATE

Do not use after end:

9. SPECIAL STORAGE CONDITIONS

Use within 3 months of opening.
Check inner seal is intact before first use.
Contents sold by weight and may settle after packaging.
Store below 25°C and away from strong odours.

10. SPECIAL PRECAUTIONS FOR DISPOSAL OF UNUSED MEDICINAL PRODUCTS OR WASTE MATERIALS DERIVED FROM SUCH MEDICINAL PRODUCTS, IF APPROPRIATE

N/A

11. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

The **marketing authorisation holder** is Haleon UK Trading Limited, The Heights, Weybridge, KT13 0NY

The **manufacturer** is GlaxoSmithKline SA, 28806 Alcala de Henares, Madrid, Spain.

12. MARKETING AUTHORISATION NUMBER(S)

PL 44673/0055

13. BATCH NUMBER<, DONATION AND PRODUCT CODES>

BN

14. GENERAL CLASSIFICATION FOR SUPPLY

<Not applicable.>

15. INSTRUCTIONS ON USE

Fast & effective relief from upset stomach

What Original Andrews Salts Do

Original Andrews Salts quickly and effectively relieve:

- (bullet) Indigestion
- (bullet) Excess Acid
- (bullet) Symptoms of Over-Indulgence
- (bullet) Upset Stomach
- (bullet) Constipation

How to use Original Andrews Salts:

See inside label for how to open and dosage instructions.

Check before you take this medicine if you need a laxative dose every day or you have persistent abdominal pain (tummy ache).

Check before you take Original Andrews Salts

Do not use this medicine:

- (bullet) if you have **liver, heart or kidney problems**
- (bullet) if you have **high blood pressure**
- (bullet) if you are **allergic to any ingredient** in this product
- (bullet) if you are on a **low sodium diet**. Each 5 ml spoonful contains **319 mg** of sodium

Ask your doctor or pharmacist before taking this medicine:

- (bullet) if you are taking prescribed medicines; particularly tetracycline antibiotics (e.g. minocycline). This product reduces the acidity of your stomach and may interfere with how other medications are absorbed, therefore please take other medications at a different time of the day
- (bullet) if you are **pregnant or breast-feeding**.

Tell your doctor or pharmacist before taking this medicine:

- (bullet) if you need a laxative dose every day or you have persistent abdominal pain (tummy ache)
- (bullet) if your symptoms persist or worsen. Persistent heartburn may be an early sign of something more serious.

16. INFORMATION IN BRAILLE

Original Andrews Salts

17. UNIQUE IDENTIFIER – 2D BARCODE

<Not applicable.>

18. UNIQUE IDENTIFIER - HUMAN READABLE DATA

<Not applicable.>

OTHER INFORMATION

Information was last revised in **April 2023**.

Trade Marks are owned by or licensed to the Haleon group of companies.