

Covonia Chesty Cough Sugar Free Syrup
 This cough syrup is used to loosen stubborn mucus (phlegm) and provide relief from chesty coughs.
Shake the bottle well before use.
 For oral use.
Adults, the elderly and children 12 years and over:
 3 x 5ml spoonfuls.
 The dose should not be repeated more frequently than every 6 hours. Not more than 3 doses should be taken in any 24 hours.
Do not give to children under 12 years.
Warning: Do not take more medicine than the label tells you to.
Do not take with any other cough and cold medicine.
 If your symptoms persist or worsen, contact your doctor or pharmacist.
Do not take this medicine if you:

- are allergic to guaifenesin or any of the other ingredients
- suffer from porphyria, which is a blood disorder that causes skin or nervous system problems.

Peel where shown for further precautions.
Keep out of the sight and reach of children.
Active ingredients per 15ml: guaifenesin 200mg.
Also contains: ponceau 4R (E124), sorbitol (E420) 3.1g per 15ml dose, propylene glycol (E1520) 25.1mg per 15ml dose.
See reverse for full list.

Do not store above 25°C.
MA holder and manufacturer: Thornton & Ross Ltd, Huddersfield, HD7 5QH, UK
 PL 00240/0380
 93006712103

5 4011309 44504 15 >

150ml e

Peel here

LOT, MAN & EXP Overprint area

■ Important ingredient information P2
 This medicine contains:

- **Sorbitol (E420) 3.1g per 15ml dose.** Sorbitol is a source of fructose. If your doctor has told you that you have an intolerance to some sugars or if you have been diagnosed with hereditary fructose intolerance (HFI), a rare genetic disorder in which a person cannot break down fructose, talk to your doctor before taking this medicine.
- **Propylene glycol (E1520) 25.1mg per 15ml dose.**
- **Sodium less than 1mmol per 15ml dose.** That is to say essentially "sodium-free".
- **Ponceau 4R (E124).** May cause allergic reactions.

2. Possible side effects
 Like all medicines Covonia Chesty Cough Sugar Free Syrup can have side effects, although these don't affect everyone.
Possible side effects are:

- stomach ache and discomfort, nausea (feeling sick), vomiting (being sick).
- allergic reactions such as skin rash.

Covonia Chesty Cough Sugar Free Syrup P1
 contains **guaifenesin** which is an expectorant to help loosen phlegm.

1. Before you use this medicine

■ Do not use this medicine if you have.....

- an allergy to any ingredient listed in section 3.
- suffer from porphyria, which is a type of blood disorder that causes skin or nervous system problems.

■ Warnings and precautions
 Talk to your doctor or pharmacist before taking if you have...

- an intolerance to some sugars.

■ Pregnant or breastfeeding....
 Talk to your doctor or pharmacist before taking this medicine if you are pregnant or breast-feeding, think you may be pregnant or are planning to have a baby.

Turn Over ⇨
 93006712103

The active ingredients per 15ml are: P4
 guaifenesin 200mg
The other ingredients are: water, glycerin (E422), sorbitol (E420), sodium cyclamate (E952), sodium saccharin (E954), carrageenan, potassium sorbate (E202), anise, blackcurrant and menthol, flavours [contains triacetin (E1518), propylene glycol (E1520)], colours ponceau 4R (E124) and caramel (E150).
What the medicine looks like
 Covonia Chesty Cough Sugar Free Syrup is a deep red coloured, thick, syrupy liquid which smells of anise, blackcurrant and menthol.
 It is supplied in 150ml and 300ml bottles.
The leaflet was last revised in March 2021.

Reporting of side effects P3
 If you get any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at:
www.mhra.gov.uk/yellowcard or search for "MHRA Yellow Card" in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine.

3. Further information

■ If you accidentally take too much contact your doctor or pharmacist straight away. Very large doses can cause sickness (nausea and vomiting). Take the pack with you to show which medicine you have swallowed.

- Do not use after the expiry date. The expiry date refers to the last day of that month.
- Return any unused medicine to the pharmacy for disposal.

93006712103