



Pomalidomide Prescription Authorisation Form (PAF)

V

This medicinal product is subject to additional monitoring. This will allow quick identification of new safety information.

Healthcare professionals are asked to report any suspected adverse drug reactions (ADRs) via the Yellow Card Scheme awww.mhra.gov.uk/yellowcard or by searching for MHRA Yellow Card in the Google Play or Apple App Store. Adverse reactions should also be r reported to the Pharmacare Group on Tel: 0330 043 09089 or Email: support@pharmacaregroup.co.uk

A newly completed copy of this form MUST accompany EVERY Pomalidomide prescription for ALL patients in accordance with the Pomalidomide Pregnancy Prevention Programme (PPP), mandated by the Medicines and Healthcare products Regulatory Agency (MHRA). Email all completed Prescription Authorisation Forms to support@pharmacaregroup.co.uk immediately after dispensing.

TO BE COMPLETED BY PRESCRIBING HEALTHCARE PROFESSIONAL **Prescriber Contact Details** Full Name of Prescriber First Name Surname: Supervising Physician First Name Surname: Full Name of Prescribing Institution: Postcode: Prescriber Telephone/ Bleep Number Please Verify if this PAF is for an initial or subsequent prescription of Pomalidomide - only tick one box Initial Prescription (full teratogenic risk counselling) Subsequent prescription (reminder teratogenic risk) Patient Initials (First/Middle/Last) Patient Date of Birth (DD/MM/YYYY) Prescriptions Date (DD/MM/YYYY Number of supply weeks: 4 weeks 12 weeks Other please enter number of weeks **Capsule Strength Prescribed** 2mg 1mg 3mg 4mg Total capsules (Tick) supplied: Number of Capsules per 4week supply: Patient Risk Category: 7. Indication: Woman of Childbearing Potential (WCBP) (Please proceed to section 9, 10a & 11) Licensed Unlicensed - Specify indication below: Male (Please proceed to section 10b & 11) Woman of Non-Childbearing Potential (WNCBP) (Please proceed to section 11) WCBP Pregnancy Test Date* (DD/MM/YYYY) Pregnancy Test Result:* Negative Positive* ☐ Inconclusive* Test not done* Please provide reason DO NOT prescribe if positive, inconclusive, test not done (except for repeat prescription in the case of confirmed tubal sterilisation) or pregnancy test date is more than 3 days before prescription date. 10. Patient Counselling: Only tick box(es) for applicable patient risk category 10a, WCBP The WCBP has been initially counselled and reminded about the expected teratogenic risk of Pomalidomide and the need to avoid pregnancy. The WCBP has been on at least one effective method of contraception for at least 4 weeks (includes male partners who have had a vasectomy, which must be confirmed by two negative semen tests; as well as absolute and continuous abstinence from heterosexual intercourse confirmed on a monthly 10b. Male The male patient has been initially counselled and reminded about the expected teratogenic risk of Pomalidomide and understands the need to use a condom, if involved in sexual activity with a pregnant woman or a WCBP not using effective contraception (even if the male patient has had a vasectomy). Prescriber's Declaration: As the Prescriber, I have read and understood the Additional Risk Minimisation Materials . I confirm the information provided on this PAF is accurate, complete and in accordance with the requirements of the PPP for Pomalidomide. I confirm treatment has been initiated and is monitored under the supervision of a physician experienced in managing immunomodulatory drugs 11a. Prescriber Signature 11b. Signature Date (DD/MM/YYYY) APPROVAL TO BE COMPLETED BY PHARMACIST 12. Pharmacy Contact Details: Full Name of Pharmacist First Name: Surname: Full Name of Pharmacy: 13. Name and postcode of Third-party Dispensing Pharmacy/ Home Delivery (Please complete only if applicable) Name: Postcode: Name: 14. Dispensing Date (DD/MM/YYYY) 15. Pharmacist Confirmation

Information which was not completed by the Prescriber and is required to fulfil the PPP for Pomalidomide has been received by the Pharmacist via other routes, or verbally confirmed by the Prescriber and / or patient and





| DO NOT dispense if pregnancy test is positive, inconclusive, test not done (except for repeat prescription in the case of confirmed tubal sterilisation), | documented in this form. Note: To indicate any changes / corrections made in the PAF, please add your initials and date against the changes and tick yes. | | | | | | | |
|--|---|--|--|--|--|--|--|--|
| or as follows: For WCBP, do not dispense Pomalidomide unless negative pregnancy test | Yes Not Applicable | | | | | | | |
| was conducted within 3 days of the prescription date and dispensing is | | | | | | | | |
| taking place within 7 days of the prescription date. No more than a 4-week supply to a WCBP and a 12-week supply to a male patient or a WNCBP | | | | | | | | |
| should be dispensed. | | | | | | | | |
| 16. Pharmacist's Declaration: As the Pharmacist, I have read and understood the Additional Risk Minimisation Materials. I confirm the information provided on this PAF is accurate, complete and in accordance with the requirements of the PPP for Pomalidomide. | | | | | | | | |
| I confirm the information provided on this PAF is accurate, complete | e and in accordance with the requirements of the PPP for Pomalidomide. | | | | | | | |
| 16a. Pharmacist Signature: | 16b. Signature Date (DD/MM/YYYY) DD MM YYYYY | | | | | | | |
| | | | | | | | | |

A Guide to Completing the Prescription Authorisation Form (PAF)

This guide will help you to complete the Pomalidomide Prescription Authorisation Form (PAF). This form is available to prescribers and pharmacists in case of Pathfinder system unavailability. A PAF must be completed each time you prescribe Pomalidomide for all patients.

Instructions for prescribers

1. Print your name clearly.

Print the name of the Supervising Physician (if you are a non-physician prescriber), i.e. the physician experienced in managing immunomodulatory drugs and supervising treatment.

Print the full name of the Prescribing Institution, specifically the hospital name, where the patient is being treated.

2.Print your telephone number/bleep number.

Tick the appropriate box specifying whether this is an initial or subsequent prescription.

- 3.Enter the patient's initials.
- 4. Enter the patient's date of birth.
- 5.This refers to the date the prescription is authorised by the prescriber and not the date the patient is due to start treatment.
- 6.Please specify the total supply prescribed for this prescription. 4 weeks would equate to a 4-week cycle.
- 7.Please specify whether Pomalidomide is being used to treat a licensed or an unlicensed indication. If unlicensed, please specify the indication in the form
- 8. Please specify whether the patient is a woman of childbearing potential, male or woman of non-childbearing potential.
- 9.For women of childbearing potential you must provide a valid negative pregnancy test date (within 3 days prior to prescription date). If this is not the case Pomalidomide must not be dispensed.
- 10.Complete this section appropriately to indicate that counselling and appropriate use of contraception has occurred. This is a requirement of the Pregnancy Prevention Programme.
- 11. You must sign, date and print your name to declare that the information provided on the form is accurate, complete and in accordance with the requirements of the Pregnancy Prevention Programme.

Instructions for pharmacists

- 12.Enter your full name and the full name and postcode of the pharmacy.
 13.If applicable, complete the Third-Party Dispensing Pharmacy / Home Delivery information.
- 14. Please specify the date Pomalidomide was dispensed. This refers to the date the medication was given to the patient. Prior to dispensing, please check that all relevant sections of the form have been fully completed by the prescriber.
- a. Counselling and contraception measures must be in place
- b.Prescription must be accompanied by an accurately completed PAF c.For women of childbearing potential Pomalidomide can only be dispensed within 7 days of the prescription date
- d.Only a maximum of 4 weeks supply for women of childbearing potential, or a maximum of 12 weeks supply for all other patients, of Pomalidomide can be dispensed at any one time.
- 15. Please specify whether there were any changes made to the PAF. To indicate any changes / corrections made in the PAF, please add your initials and date against the changes and indicate yes in pharmacist confirmation.

16. You must sign, date and print your name to declare that the information provided on this form is accurate, complete and in accordance with the Pregnancy Prevention Programme. E- mail all completed Prescription Authorisation to support@pharmacaregroup.co.uk immediately after dispensing.

| Healthcare professionals are asi | | | | | | |
|--|--|--|--|--|--|--|
| | duct is subject to ac | dditional monitoring. T | This will allow qu | ick identification | of new safety informa | tion. |
| 09089 or Email: support@phare | d in the Google Play | or Apple App Store. A | | | | ra.gov.uk/yellowcard or by nacare Group on Tel: 0330 043 |
| | revention Progra | mme (PPP), manda | ated by the M | edicines and F | fealthcare products | nts in accordance with the Regulatory Agency (MHRA). spensing. |
| TO BE COMPLETED BY PRES | CRIBING HEALTH | CARE PROFESSIONA | AL. | | | |
| Prescriber Contact C | Petalls | | | | | |
| Full Name of Prescriber | | First Name: | | | Surname: | |
| Supervising Physician | | First Name: | | | Surname: | |
| Full Name of Prescribing Instit Prescriber Telephone/ Bleep N | Number: | | | | | code: |
| Please Verify if this I Initial Prescription (full ten | | | | | sk one box iption (reminder terato | genic risk) |
| 3. Patient Initials (Fin | st/Middle/Last) | | 1 4 | | of Birth (DD/MM/YY | |
| Prescriptions Date Number of supply w | reeks: | | | | | |
| 4 weeks | ☐ 8 weeks | | 12 weeks | 1 | Other please ente | r number of weeks |
| Capsule Strength Prescribed | 1mg | 2mg | 3mg | 4mg | To | tal capsules |
| (Tick) | 2.16 | 2.6 | 2.16 | | | pplied: |
| Number of Capsules per 4- week supply: | | | | | _ | |
| 7. Indication: | | | ient Risk Catego | | | - |
| ☐ Ucensed ☐ Unlicensed — Specify India | cation below: | Male (Plea | ase proceed to se | ction 10b & 11) | Please proceed to secti | |
| | | | r Non-Unidocari | ng Potential (Wh | ICBP) (Please proceed t | to section 111 |
| WCBP Pregnancy To Pregnancy Test Result:* | est Date* (DD/MM/ | YYYY) | | | | D MMM YYYY |
| ☐ Negative | ☐ Positive* | | Inconclusiv | | Test not done* Ple | sase provide reason |
| DO NOT prescribe if positive, in more than 3 days before prescri | lption date. | | at prescription i | the case of ton | | |
| | | or applicable patient r | risk category | | | |
| 10a. WC8P The WC8P has been init | | | | enic risk of Pom | alidomide and the nee | |
| The WCBP has been init The WCBP has been on must be confirmed by the | tially counselled and | d reminded about the remember method of contrace | expected terator | 4 weeks (includ | es male partners who l | d to avoid pregnancy. |
| 10a. WCBP The WCBP has been init The WCBP has been on must be confirmed by tossis. 10b. Male | tially counselled and at least one effective wo negative semen | d reminded about the re method of contrace tests; as well as absolu | expected terator eption for at least ute and continue | 4 weeks (includ us abstinence fr | es male partners who l | d to avoid pregnancy. |
| 10a. WCBP The WCBP has been init The WCBP has been on must be confirmed by t basis). 10b. Male The male patient has be | at least one effective wo negative semen | reminded about the remethod of contrace tests; as well as absoluted and reminded about | expected terator option for at least tute and continuous | 4 weeks (includ aus abstinence fr teratogenic | es male portners who l om heterosexual interc | d to evoid pregnancy. save had a vasactomy, which ourse confirmed on a monthly |
| 10a. WCBP The WCBP has been init The WCBP has been on must be confirmed by a basis. 10b. Male The male patient has be risk of Pornalidomide or contraception (even if | at least one effective wo negative semen een initially counselled and understands the the male patient has | reminded about the remethod of contrace, tests; as well as absoluted and reminded abounced to use a condominad a vasectomy). | expected terator eption for at least ute and continue ut the expected n, if involved in s | 4 weeks (includ ous abstinence fr teratogenic exual activity wit | es male partners who lo om heterosexual interc h a pregnant woman o | d to avoid pregnancy. save had a susectomy, which ourse confirmed on a monthly r a WCBP not using effective |
| 10a. WGB* The WGB has been init The WGB has been on must be confirmed by t basis). 10b. Male The male patient has be risk of Pornalidonide a contraception (even if t 11. Prescriber's Declarat provided on this BAT. | at least one effective wo negative semen een initially counsell and understands the her male patient has tions. As the Prescrib is accurate, comple | d reminded about the remethod of contrace, tests; as well as absoluted and reminded abounced to use a condominate a vassectomy). Let and in accordance or the accord | expected terator eption for at least ute and continuous at the expected n, if involved in suderstood the Ad with the require | 4 weeks (includ us abstinence for teratogenic exual activity wit ditional Risk Mir ments of the PPF | es male partners who loom heterosexual intercon has pregnant woman or insistion Materials. For Pornalidomide. For | d to avoid pregnancy. save had a susectomy, which ourse confirmed on a monthly r a WCBP not using effective |
| 10a. WGB* The WGB has been init The WGB has been on must be confirmed by t basis). 10b. Male The male patient has be risk of Pornalidonide a contraception (even if t 11. Prescriber's Declarat provided on this BAT. | at least one effective wo negative semen een initially counsell and understands the her male patient has tions. As the Prescrib is accurate, comple | ireminded about the ireminded about the remembed of contract tests; as well as absoluted and reminded abouted to use a condon that a vasarctamy]. | expected teratory eption for at least tote and continue ut the expected n, if involved in s uderstood the Ad with the require n experienced in | 4 weeks (includ us abstinence for teratogenic exual activity wit ditional Risk Mir ments of the PPF | es male partners who is om heterosexual interconnection in a prognant woman or ilmisation Materials. I in on rounduistory drugs | d to avoid pregnancy. save had a vassectomy, which ourse confirmed on a monthly a WCBP not using effective confirm the information |
| 10a. WCBP The WCBP has been init The WCBP has been on must be confirmed by it taxis; 20b. Male 10b. Male 10b. Male 11b. Perscriber's Declare 11b. Perscriber's Declare 11b. Prescriber's Declare 11b. Prescriber's Declare 11b. Prescriber's Separature 11p. Prescriber's Separature | tially counselled and at least one effective wo negative semen een initially counsell and understands the her male patient has those As the Prescrib is accurate, comple- tored under the sup BY PHARMACIST | d reminded about the remethod of contrace, tests; as well as absoluted and reminded abounced to use a condominate a vassectomy). Let and in accordance or the accord | expected teratory eption for at least tote and continue ut the expected n, if involved in s uderstood the Ad with the require n experienced in | 4 weeks (includ rus abstinence fr teratogenic coual activity wit ditional Risk Mir ments of the PPF managing immu | es male partners who is om heterosexual interconnection in a prognant woman or ilmisation Materials. I in on rounduistory drugs | d to avoid pregnancy. save had a vassectomy, which ourse confirmed on a monthly a WCBP not using effective confirm the information |
| 10a. WCBP The WCBP has been init The WCBP has been on mast be confirmed by t basis). 10b. Male The male pattent has be risk of Pernalidomide at contraception (even if it 11. Prescriber's Declarat provided on this BAT initiated and is moni | tially counselled and at least one effective wo negative semen een initially counsell and understands the her male patient has those As the Prescrib is accurate, comple- tored under the sup BY PHARMACIST | d reminded about the remethod of contrace, tests; as well as absoluted and reminded abounced to use a condominate a vassectomy). Let and in accordance or the accord | expected teratory eption for at least tote and continue ut the expected n, if involved in s uderstood the Ad with the require n experienced in | 4 weeks (includ rus abstinence fr teratogenic coual activity wit ditional Risk Mir ments of the PPF managing immu | es male partners who is om heterosexual interconnection in a prognant woman or ilmisation Materials. I in on rounduistory drugs | d to avoid pregnancy. save had a vassectomy, which ourse confirmed on a monthly a WCBP not using effective confirm the information |
| 10a, WGBP The WCBP has been ind in a confirmed by the been indicated by the work of the wo | tially counselled and at least one effective woo negative semen een initially counsell of understands the hermale patient has tions As the Prescrib is accurate, comple to accurate, comple to ever the sup BY PHARMACIST retails: | I reminded about the is emithed of contracte tests; as well as about the ised and reminded about the condition of a physician process of the condition of a physician of a physici | expected teratory experience for at least ute and continue ut the expected n, if involved in s uderstood the Ad with the require n experienced in 11b. Sig | 4 weeks (includ us abstinence for teratogenic oxual activity wit ditional Risk Mir ments of the PPF managing immu nature Date (DC | es male partners who loom heterosexual intercom heterosexual intercom heterosexual intercom has pregnant woman or ininisation Materials. I I for Pormalidomide. I or monodulatory drugs I/MM/YYYY | d to avoid pregnancy. save had a vassectomy, which ourse confirmed on a monthly a WCBP not using effective confirm the information |
| 10a. WGP The WCBP has been ind in a confirmed by the basen in must be confirmed by the basen on must be confirmed by the basen on must be confirmed by the basen on must be confirmed by the basen of th | tially counselled and at least one effective woo negative semen een initially counsell of understands the hermale patient has tions As the Prescrib is accurate, comple to accurate, comple to ever the sup BY PHARMACIST retails: | I reminded about the is emithed of contracte tests; as well as about the ised and reminded about the condition of a physician process of the condition of a physician of a physici | expected teratory experience for at least ute and continue ut the expected n, if involved in s uderstood the Ad with the require n experienced in 11b. Sig | 4 weeks (includ us abstinence for teratogenic oxual activity wit ditional Risk Mir ments of the PPF managing immu nature Date (DC | es male partners who loom heterosexual intercom heterosexual intercom heterosexual intercom has pregnant woman or ininisation Materials. I I for Pormalidomide. I or monodulatory drugs I/MM/YYYY | d to avoid pregnancy. save had a vassectomy, which ourse confirmed on a monthly a WCBP not using effective confirm the information |
| 10s. WGP The WGFP has been incl The WGFP has been incl The WGFP has here must be confirmed by hearing 10s. Male The male patient has be stick of Permissional or stick of Permissional or 11s. Prescribes's Declare 11s. Prescribes's Declare 11s. Prescribes's Declare 11st prescribes | tially counselled and at least one effective wo negative semen seen initially counsell and understands the hermale patient has blonn As the Prescrib its accurate, some of the counsel of the patient has been as the prescrib its accurate, some of the support of t | I reminded about the is emithed of contracte tests; as well as about the ised and reminded about the condition of a physician process of the condition of a physician of a physici | expected teratory spilon for at least ute and continue ut the expected ut the expected the Audientical the Audientical 11b. Sig | 4 weeks (includ us abstinence for teratogenic exual activity wit dittonal Risk Mir ments of the PP managing Immu nature Date (DC | es male partners who is one heterosexual interco m heterosexual interco h a pregnant woman o innisation Materials . I i or Pomalidomide. I o nononodulatory drugs yMM/YYYY Surname: Postcode: Postcode: Postcode: | d to avoid pregnancy. save had a vassectomy, which ourse confirmed on a monthly a WCBP not using effective confirm the information |
| 30s. WCBP The WCBP has been and personal to the WCBP has been and the WC | tally counselled and at least one effective wo negative semen seen initially counsell of understands the main patients has done at the main patient has done as the Prescrib is accurate, completed of the counselled of Third-party Disponyment of Third-party Disponym | Ferminded about the re- membed of contracts tests; as well as absoluted and reminded abounced to use a condom what is well as a secretary. First near the angle of the angle o | expected teratory ption for at least ute and continue ust the expected in, if involved in is uderstood the Au uderstood the A | 4 weeks (included use abstinence for terratogenic consistence) for terratogenic consistence for terratogenic consistence for the PPP managing immunature Date (DC consistence) for the PPP for Purnalis of the PPP for Purnalis consistence for the PPP for PPP f | es male partners who is one heterosexual interco an a pregnant woman or almisation Materials. I I have been described in for Pomalidomide. I or normodulatory drugs //MM/YYYY Surname: Postcode: Postcode: Postcode: Confirmation soc completed by the P domidle has been received. | It to avoid programor, users land a succession, which source confirmed on a monthly as WCEP not using effective as WCEP not using effective from the information arises to recommend to been seen to be the second to the second |
| 30s. WCBP The WCBP has been and pestode to t | itally counselled and at least one effective services of the country of the count | i reminded about the remember of contracte tests; as well as about dead and reminded dead dead dead dead dead dead dead | expected teratory ption for at least and continuous ut the expected ut the expected ut, if involved in a sudderstood the Ad utderstood the | 4 weeks (includ us abstinence for terratogenic could activity wit ditional Risk Minments of the PPF management | es male partners who is one heterosexual interco meterosexual interco h a pregnant woman or ministicon Materials. I i for Pomalidomide. I or nonmodulatory drugs //MM//YYYY Surname: Postocode: Postocode: Postocode: Confirmation not completed by the P domide has been recein mr. Note: To indicate sur ninitials and date a sur ninitials and date a | It to enrial programs; some land a successor, which source confirmed on a monthly as WCEF not using effective confirm the adormation and the subcreation and in tourneed his been sometimed to be successor to be sometimed to be successor and in required to end by the Pharmachal disaster any changes of corrections makel- grams the changes and significant the changes and significant sometimes the changes and significant the changes and significant sometimes the changes and significant the changes are significant to th |
| 10a. WCBP The WCBP has been and The WCBP has been and must be confirmed by it bank). The male patient has be risk of Permitting the confirmed by it has been and the | itally counselled and at least one effective services and at least one effective services on originate services and other services are services and other services are services and other services and other services and othe | i reminded about the re emethod of contractive method of contractive method of contractive method of contractive and a should and reminded about and and reminded about and a should method as uncontrave). If the rest and uncontrave). First Name: First Name: First Name: ensing Pharmacy/ Ho onclusive, text not of timed obush settings. | expected terators expected terators and terators to the expected of the expect | 4 weeks (includ us abstinence for terratogenic could activity wit ditional Risk Minments of the PPF management | es male partners who is one heterosexual interco meterosexual interco h a pregnant woman or ministicon Materials. I i for Pomalidomide. I or nonmodulatory drugs //MM//YYYY Surname: Postocode: Postocode: Postocode: Confirmation not completed by the P domide has been recein mr. Note: To indicate sur ninitials and date a sur ninitials and date a | If to provid programmy, we will a support to the su |
| 10a. WCEP The WCEP has been and work of the WCEP has been dispersed to the WCEP has been and work of the WCEP has been dispersed to the | itally counselled and at least one effective servers as a server seen initially counselled and the server seen initially counselled the servers seen initially counselled and understands the term set guitter has been as the patient has the server set in security, complete in account, complete in account | I reminded about the re- remember of uncertainty of the residence of the r | expected teratographics for at least upper for at least utre and continuous ut the expected of the experienced in the experienced in the experienced in forems fulfill the experienced in forems fulfill the experienced in the experience of the experi | 4 weeks (includ us abstinence for terratogenic could activity wit ditional Risk Minments of the PPF management | es male partners who is one heterosexual interco meterosexual interco h a pregnant woman or ministicon Materials. I i for Pomalidomide. I or nonmodulatory drugs //MM//YYYY Surname: Postocode: Postocode: Postocode: Confirmation not completed by the P domide has been recein mr. Note: To indicate sur ninitials and date a sur ninitials and date a | It to enrial programs; some land a successor, which source confirmed on a monthly as WCEF not using effective confirm the adormation and the subcreation and in tourneed his been sometimed to be successor to be sometimed to be successor and in required to end by the Pharmachal disaster any changes of corrections makel- grams the changes and significant the changes and significant sometimes the changes and significant the changes and significant sometimes the changes and significant the changes are significant to th |
| 10. WGP The WCRF has been in it is the WCRF has been in it is the WCRF has been in must be confirmed by the WCRF has been in the wCRF h | itally counselled and at least one effective of effective | i reminded about the re- remelled of northern re- remelled of northern re- remelled of northern re- texts; as well as about 6d and reminded above of the re- common re- remelled of the re- remelled of the | expected teratog expected teratog expected teratog ut the expected ut the expected in sequence in il involved in sequence in il involved in sequence in experienced in sequence interest in the experienced in sequence interest interest interest interest interest information, interest | 4 weeks (included was a substanced for the control of the control | es male partiers who is on herrosenual inter- tion in herrosenual inter- tion in herrosenual inter- tion in herrosenual inter- ha pregnant woman on ha pregnant ha pregnan | If to enrill pringency, were hard it was consequently and it was consequently and it was consequently and it was confirmed in a most high a WCFF not using effective confirm the advantage of the confirmed has been suffered to the confirmed has been suffered to the confirmed has been suffered to the confirmed has been suffered has been suffered and its impaired to make the confirmed has been suffered and its impaired to make the confirmed has been suffered and its impaired to make the confirmed has been suffered and its impaired to make the confirmed has been suffered and its impaired to make the confirmed has been suffered and its impaired to make the confirmed has been suffered to the confirmed has been suf |
| In N. WGEP has been side The WGEP has been side The WGEP has been so must be confirmed from the Confirmed fr | itally counselled and at least one effective of effective | i reminded about the re- remelled of northern re- remelled of northern re- remelled of northern re- texts; as well as about 6d and reminded above of the re- common re- remelled of the re- remelled of the | expected teratory expected teratory prior for at least ute and continuit at the expected at the expected with the expected the Add with the regular teratory (Pficial Information and Information Info | 4 weeks (included use abstinence for teratogeak could activity with distonal flush Mirments of the PPM managing limitudes as the could activity with the country of the PPM managing limitudes as the country of the PPM for Pursals PPM for Pursals PPM for Pursals PPM for Pursals of the PPM for Pursals of the country of the country of the pursals of the country of the | res make gustiness who is on hermosemual intercess on hermosemual intercess on hermosemual intercess on hermosemual intercess has a program's woman on a management of the program's woman on consolidation of the Postsodies. Summance: Postsodies: Postsodi | It to avoid programory, some land a successory, which source confirmed on a monthly as WCEP not using effective confirm the sidementation and the sidementation and the sidementation and to state the sidementation and the programment side sidement any changes of corrections made any changes of changes of corrections made any changes of |
| 10. WGP No. WGP No. Incent of the WGP bits been identified to be been identified to be been identified to be been on must be confident to be been on must be confident to be been on the been of the been on the been of t | itally counselled and at least one effective of effective | i reminded about the re- remelled of northern re- remelled of northern re- remelled of northern re- texts; as well as about 6d and reminded above of the re- common re- remelled of the re- remelled of the | expected teratory expected teratory prior for at least ute and continuit at the expected at the expected with the expected the Add with the regular teratory (Pficial Information and Information Info | 4 weeks (included use abstinence for teratogeak could activity with distonal flush Mirments of the PPM managing limitudes as the could activity with the country of the PPM managing limitudes as the country of the PPM for Pursals PPM for Pursals PPM for Pursals PPM for Pursals of the PPM for Pursals of the country of the country of the pursals of the country of the | es male partiers who is on herrosenual inter- tion in herrosenual inter- tion in herrosenual inter- tion in herrosenual inter- ha pregnant woman on ha pregnant ha pregnan | It to evoid programop, were load a venuction, which were load a venuction, which as WCEP not using effective as WCEP not using effective referred to the second of the second of the association the information referred to the second of the second of the association of the second of the second of the association of the second of the association of the second of the second of the Planmarket via other association of the Planmarket via other assoc |

Further information is available from Pharmacare Group Pathfinder Pregnancy Prevention Programme:

Tel: 0330 043 09089

Email: support@pharmacaregroup.co.uk

Electronic copies are also available on the Great Britain (GB) and Northern Ireland (NI) electronic medicines compendium websites: www.medicines.org.uk/emc (for Great Britain) or www.emcmedicines.com/en-GB/northernireland (for Northern Ireland).