

((Inside 1))

**If you are a woman of child-bearing age read this page carefully**

**Pregnancy**

Ambrisentan is teratogenic in animals.

Ambrisentan may harm unborn babies conceived before, during or soon after treatment.

If you are a woman:

- You must not take Ambrisentan if you are pregnant, or if you are planning to become pregnant
- Women of reproductive potential must use reliable contraception whilst taking Ambrisentan
- It is preferable that you and your partner use two forms of contraception that work in different ways
- If you are in any doubt about which contraceptives to use, consult your doctor or a gynaecologist
- A pregnancy test should be taken every month
- If you miss a period, or if you think you may be pregnant, you must tell your doctor straight away

Your monthly pregnancy test schedule:

<input type="checkbox"/> Jan _____	<input type="checkbox"/> May _____	<input type="checkbox"/> Sep _____
<input type="checkbox"/> Feb _____	<input type="checkbox"/> Jun _____	<input type="checkbox"/> Oct _____
<input type="checkbox"/> Mar _____	<input type="checkbox"/> Jul _____	<input type="checkbox"/> Nov _____
<input type="checkbox"/> Apr _____	<input type="checkbox"/> Aug _____	<input type="checkbox"/> Dec _____



**Reporting of side effects:** If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in the package leaflet. You can also report side effects directly via the Yellow Card Scheme at <https://yellowcard.mhra.gov.uk/> or search for MHRA Yellow Card in the Google Play or Apple App Store. Side effects should also be reported to MSN Laboratories Europe Limited through telephone: 020 33717 158 or email: [pharmacovigilance@msnlabs.com](mailto:pharmacovigilance@msnlabs.com).

If you have questions about Ambrisentan ask your doctor:

Prescribing doctor: \_\_\_\_\_

Your name: \_\_\_\_\_

This card contains important information about Ambrisentan. Please read this card carefully before starting your treatment with Ambrisentan.

**Important Safety Alerts for Patients taking Ambrisentan**

((Front cover))

((Inside 2))

**Blood Test for Liver Function**

Ambrisentan may cause liver injury.

It is important to have blood tests to monitor your liver function before starting treatment and at regular intervals during treatment to check that your liver is working properly. Monthly liver function tests are recommended.

Date of first monthly test: \_\_\_\_\_

Your monthly liver blood test schedule:

<input type="checkbox"/> Jan _____	<input type="checkbox"/> May _____	<input type="checkbox"/> Sep _____
<input type="checkbox"/> Feb _____	<input type="checkbox"/> Jun _____	<input type="checkbox"/> Oct _____
<input type="checkbox"/> Mar _____	<input type="checkbox"/> Jul _____	<input type="checkbox"/> Nov _____
<input type="checkbox"/> Apr _____	<input type="checkbox"/> Aug _____	<input type="checkbox"/> Dec _____

This card is produced as a service to patients by  
 MSN Laboratories Europe Limited,  
 Invision House,  
 Wilbury Way,  
 Hitchin, Hertfordshire,  
 SG4 0TY,  
 United Kingdom.  
 Date and version: Sep23/version 1.0

**PATIENT ALERT CARD**