



IF I AM HAVING AN ANAPHYLACTIC ALLERGIC REACTION, PLEASE INJECT MY EPIPEN® FOLLOWING THESE SIMPLE INSTRUCTIONS.

STEP 1: Make sure I am lying down with my legs slightly elevated or sitting up if breathing is difficult.

STEP 2: Use EpiPen®.
Instructions are on the device.

STEP 3: Dial 999 immediately, ask for ambulance and state 'anaphylaxis'.

I should stay lying down or seated or if I am unconscious, I should be placed in the recovery position. Stay with me until the ambulance arrives.

Reporting of side effects

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in the package leaflet.

You can also report side effects directly via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard. By reporting side effects you can help provide more information on the safety of this medicine.

Adverse events should be reported

Reporting forms and information can be found at www.mhra.gov.uk/yellowcard. Adverse events should also be reported to Mylan by phone: 0800 121 8267 or by email: ukpharmacovigilance@mylan.com

I CARRY AN EPIPEN®

I am at risk of an anaphylactic allergic reaction

EPIPEN® EPIPEN® Jr

(Adrenaline) Auto-Injectors 0.3/0.15mg

Name:

Allergen(s):

My EpiPen® is kept:

Emergency contact (name/tel):

Provided as a service to patient education by Meda Pharma GmbH, a Mylan company

 **Mylan**
Better Health
for a Better World