
## RECONSTITUTION OF MYALEPTA ▼ (METRELEPTIN POWDER FOR SOLUTION FOR INJECTION)

To obtain the Myalepta solution for your injection, you need to mix the Myalepta powder with the water for injection.

| Myalepta<br>vial | Water for injection | Syringe<br>to use | You will<br>be using |
|------------------|---------------------|-------------------|----------------------|
| 11.3 mg          | 2.2 mL              | 3.0 mL            |                      |
| 5.8 mg           | 1.1 mL              | 3.0 mL            |                      |
| 3.0 mg           | 0.6 mL              | 1.0 mL            |                      |

SYRINGE USED TO RECONSTITUTE MYALEPTA



Depending on your dose you will use either a 3.0 mL or 1.0 mL syringe to reconstitute Myalepta. The larger (green) needle is used for this step.

Please refer to the detailed Instructions for Use in the Myalepta pack before attempting to prepare and inject your Myalepta.

This medicine is subject to additional monitoring. This will allow quick identification of new safety information. You can help by reporting any side effects you may get.

If you get any side effects, talk to your healthcare professional. This includes any possible side effects not listed in the Patient Information Leaflet (PIL). In the UK, you can also report side effects directly via the Yellow Card Scheme at https://yellowcard.mhra.gov.uk/

By reporting side effects, you can help provide more information on the safety of this medicine. Side effects should also be reported to Chiesi Limited on 0800 0092329 or e-mail: PV.UK@chiesi.com

## **Patient Dose Information card**

Your Myalepta dose is \_\_\_\_\_ mg

injecting mL or units.

## ADMINISTRATION OF MYALEPTA (METRELEPTIN POWDER FOR SOLUTION FOR INJECTION)

To self-inject Myalepta, you need to fill the syringe with the right amount of Myalepta solution.

Depending on your dose you will use a 2.5 mL, a 1.0 mL or a 0.3 mL syringe to inject Myalepta. The yellow needle is used for this step.

Your doctor or nurse has drawn a line to indicate your dose on the syringe.

If you have any questions about your dosage, the reconstitution or administration of Myalepta, contact your specialist service healthcare team before you self-inject Myalepta. More information is available in the Myalepta Patient Care Guide. Doctor or nurse contact details:

## SYRINGES USED TO INJECT MYALEPTA

