Patient alert card KLD_100 x 50 mm

	ן ID: 305460 Date of MHRA Approval: January 2024	
	Emergency phone արեւ for neurologist։	
	Name of neurologist:	
	Hospital:	
	Date teriflunomide first prescribed:	
	Patient's name:	
This patient of teriflunomide professional (e.g. in case of patient inforr Please reports Yellow Card so the free Yellow and also some can call 0800 By reporting si	ard: Teriflunomide 14mg film-coated Tablets and provides important information on the risks of e. Please show this card to any doctor or healthcare (HCP) involved in your medical care of an emergency). You should also read the mation leaflet for further information. uspected adverse drug reactions (ADRs) to the MHRA through the cheme, via the Yellow Card website www.yellowcard.mhra.gov.uk, card app available in Apple App Store or Google Play Store, clinical IT systems for healthcare professionals. Alternatively you 731 6789 for free, Monday to Friday between 9am and 5pm. de effects, you can help provide more information on the safety of When reporting please provide as much information as possible.	

Back side

Important side effects Important side effects Teriflunomide reduces the activity of the immune system (immunomodulator). In some people, teriflunomide can cause liver damage (hepatitis) and it may also reduce the production of white blood cells that fight infection (neutrophils) and platelets that are involved in blood clotting. Your liver function tests and blood pressure should be checked regularly during teriflunomide treatment and your full blood count should be checked if necessary. These tests should also be checked before starting treatment.

treatmen If you have any of the following side effects, please contact

- If you have any of the following side effects, please contact your doctor immediately:
 Yellow skin or yellowing of the whites of your eyes (jaundice), unexplained nausea or vomiting, abdominal pain or darker urine than normal. These are the symptoms of a liver problem.
 Signs of an infection including, pain on passing urine, confusion, high temperature (fever), cough, swollen glands.
 For women of childbearing potential including girls and their parents/caregivers
 Teriflunomide should not be used in pregnancy or in women of childbearing potential if they are not using effective contraception because it can cause serious birth defects.
 Do not start teriflunomide when you are pregnant, or you think you may be pregnant.

- Do not start teriflunomide when you are pregnant, or you think you may be pregnant. Your doctor may ask you to do a pregnancy test to make sure.
 Effective contraception should be used during and after teriflunomide treatment until the blood levels are low. Your doctor will provide counselling on the potential risks to an unborn baby and on the need for effective contraception.
 Tell your doctor if you want to change your method of contraception or plan to become pregnant after stopping treatment with teriflunomide. You should also discuss with your doctor if you plan to or are breastfeeding.
 If you suspect that you are pregnant while taking teriflunomide or in the two years after you have stopped treatment, you must contact your doctor may suggest treatment with certain medicines to speed up the removal of teriflunomide from your body, as this may decrease the risk to your baby.
 The parents or carers of girls should contact their daughter's doctor when they have their first period so that she can be counselled on the risk of birth defects during pregnancy and given advice on appropriate contraception.

000000

Variation:	N001 - Educational materials (2nd RFI)		Technical Colours:	
Proof no:	001.2		Legend:	
Date prepared:	11/12/2023		Cutting:	
Font size:	7 pt			
Fonts:	FuturaCEEF			
Dimensions:	85.6 x 53.98 (Folded) mm			
Technical date	1:			
SKUs:	0000000			
SZ codes:	SZ000000000			
Item codes:	0000000	Colo	Colours:	
Pharma codes:	0000000		Black	
Novartis data	if applicable:			
Version:	0000000			
Print Proof date:	0000000			
AQWA#:	0000000			
Production site:	0000000			
Technical num:	0000000			
Old Comp num:	0000000		A SANDOZ	

